



**ULTRA-TECH LABORATORIES PRIVATE LIMITED**  
**CLOTH MARKET, G. E. ROAD KUMHARI, DIST – DURG (C. G.)**  
**TLD MONITORING SERVICE – DOSE REPORT**

INSTITUTION NO. : 001975  
 NUCLEAR SCIENCE CENTRE, NEW DELHI

SERVICE PERIOD : OCT-DEC 2011  
 SERVICE FREQUENCY : QUARTERLY

PERS. NO.	NAME OF TLD CARD USER	W O R N  A T	WHOLE BODY DOSE (mSv)					BETA DOSE mSv	CURRENT YEAR BETA TOTAL mSv	WRIST DOSE (mSv) (X/G)+B= TOTAL	CURRENT YEAR WRIST TOTAL mSv
			JANUARY – MARCH	APRIL - JUNE	JULY - SEPTEMBER	OCTOBER - DECEMBER	CURRENT YEAR TOTAL				
0059	SHRI SINGH RAJESH PRATAP	C	00.00		00.00	00.00	00.00	00.00	00.00		
0060	SHRI DEBULAL KABIRAJ	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0064	DR. ROY AMIT	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0068	SHRI BARUA PRADIP	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0069	SHRI SOTA MUKESH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0070	SHRI DUTT RAJENDRA NATH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0087	SHRI CHOUDHARI GAJANAN	C		00.00	00.00	00.00	00.00	00.00	00.00		
0088	SHRI RAJESHWAR KANWAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0090	SHRI SONTI SOMASUNDRAM K.	C	00.00	00.15	00.00	00.00	00.15	00.00	00.00		
0092	SHRI VENKATASIVA KUMAR	C	00.00		00.00	00.00	00.00	00.00	00.00		
0093	SHRI BHUBAN KUMAR	C	00.00		00.00	00.00	00.00	00.00	00.00		
0102	SHRI PRASAD JAGDISH KALI	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0103	SHRI RAKESH KUMAR P.C.	C	00.00		00.00	00.00	00.00	00.00	00.00		
0106	SHRI MANOJ KUMAR	C		00.00	00.00	00.00	00.00	00.00	00.00		
0107	SHRI SAINI SANJAY KUMAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0108	SHRI SURESHBABU M.V.	C	00.10	00.00	00.00	00.00	00.10	00.00	00.00		
0110	SHRI CHOUDHURY ANUPKUMAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0114	DR. NANDI TAPAN KUMAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0119	SHRI VARUHESE THOMAS	C	00.00		00.00	00.00	00.00	00.00	00.00		
0120	SHRI KUMAR RAVI	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0123	MS. GUPTA ARTI S.K.	C	00.00	00.00	00.00	00.20	00.20	00.00	00.00		
0124	SHRI KOTHARI ASHOK C.B.	C		00.00	00.00	00.00	00.00	00.00	00.00		
0125	SHRI PATEL VIJAY P.	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0128	SHRI SINGH MAHENDRA P.	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0129	SHRI JHINGAN AKHIL	C		00.00	00.00	00.00	00.00	00.00	00.00		
0133	SHRI SINGH KUNDAN	C	00.00	00.00	00.00	00.25	00.25	00.00	00.00		
0135	SMT. RUBY SANTHI R.	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0136	SHRI SONKAWADE R.G.	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0138	SHRI PANWAR NAYAN SINGH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0140	SHRI KUMAR RAKESH	C		00.00	00.00	00.00	00.00	00.00	00.00		
0141	SHRI SINGH FOURAN	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0142	SHRI KAR SOUMEN	C			00.00	00.00	00.00	00.00	00.00		
0143	SHRI NATH SUBIR	C			00.00	00.00	00.00	00.00	00.00		
0144	SHRI OJHA SUNIL V.S.	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		

**ULTRA-TECH LABORATORIES PRIVATE LIMITED**  
**CLOTH MARKET, G. E. ROAD KUMHARI, DIST – DURG (C. G.)**  
**TLD MONITORING SERVICE – DOSE REPORT**

**INSTITUTION NO. : 001975**  
**NUCLEAR SCIENCE CENTRE, NEW DELHI**

**SERVICE PERIOD : OCT-DEC 2011**  
**SERVICE FREQUENCY : QUARTERLY**

PERS. NO.	NAME OF TLD CARD USER	W O R N  A T	WHOLE BODY DOSE (mSv)					BETA DOSE mSv	CURRENT YEAR BETA TOTAL mSv	WRIST DOSE (mSv) (X/G)+B= TOTAL	CURRENT YEAR WRIST TOTAL mSv
			JANUARY – MARCH	APRIL - JUNE	JULY - SEPTEMBER	OCTOBER - DECEMBER	CURRENT YEAR TOTAL				
0155	SHRI ASHUTOSH PANDEY	C		00.00	00.00	00.15	00.15	00.00	00.00		
0156	MS. PRAVEEN KUMAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0158	MS. KSH DEVARANI DEVI	C			00.00	00.00	00.00	00.00	00.00		
0161	SHRI S. MOHAN NISHAL	C			00.00	00.00	00.00	00.00	00.00		
0162	SHRI D.S. MATHURIA	C	00.25	00.00	00.00	00.00	00.25	00.00	00.00		
0163	SHRI S.K. SUMAN	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0164	MS. KUSUM RANI	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0165	SHRI PARAMBATH SAFVAN	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0173	SHRI ABHILASH S.R.	C			00.00	00.00	00.00	00.00	00.00		
0174	SHRI V.V.V. SATYANARAYAN	C			00.00	00.00	00.00	00.00	00.00		
0175	SMT. GOLDA K.S.	C			00.00	00.00	00.00	00.00	00.00		
0178	SHRI SAIF AHMAD KHAN	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0179	SHRI ABHISHEK RAI	C			00.00	00.10	00.10	00.00	00.00		
0180	SHRI KUMAR SURAJ PRAKASH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0183	MS. JAIN MAMATA RANI	C			00.00	00.10	00.10	00.00	00.00		
0184	SHRI K.K. MISTRI	C			00.00	00.10	00.10	00.00	00.00		
0186	DR. T.S. DATTA	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0202	SHRI KUMAR PANKAJ	C			00.00	00.00	00.00	00.00	00.00		
0203	SHRI KUMAR SUGAM	C			00.00	00.00	00.00	00.00	00.00		
0204	SHRI KATHARIA SINGH Y.	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0205	MS. LAKSHMY P S	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0206	SHRI SANDEEP KR.	C	00.00	00.00	00.00	00.20	00.20	00.00	00.00		
0208	SHRI BIJENDER SINGH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0209	SHRI VADUVANSH M.	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0210	SHRI PRANAV SINGH	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0212	SHRI JAGDISH GEHLOT	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0213	SHRI PAWAN KR. K.	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0214	MS. INDRA SULANIA	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0215	SHRI M. ARCHUNAN	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0216	SHRI PATRA PADMANAVA	C			00.00	00.00	00.00	00.00	00.00		
0219	SMT. YOGITA	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0220	SHRI HARDEV SINGH	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0221	SHRI NEGI DINESH	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0223	SERVESH KUMAR	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0224	RAJESH VIKRAM	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0225	HARMINDER KAUR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0226	SHRI SINGHAL RAHUL	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		

**ULTRA-TECH LABORATORIES PRIVATE LIMITED**  
**CLOTH MARKET, G. E. ROAD KUMHARI, DIST – DURG (C. G.)**  
**TLD MONITORING SERVICE – DOSE REPORT**

INSTITUTION NO. : 001975  
 NUCLEAR SCINECE CENTRE, NEW DELHI

SERVICE PERIOD : OCT-DEC 2011  
 SERVICE FREQUENCY : QUARTERLY

PERS. NO.	NAME OF TLD CARD USER	W O R N  A T	WHOLE BODY DOSE (mSv)					BETA DOSE mSv	CURRENT YEAR BETA TOTAL mSv	WRIST DOSE (mSv) (X/G)+B= TOTAL	CURRENT YEAR WRIST TOTAL mSv
			JANUARY – MARCH	APRIL - JUNE	JULY - SEPTEMBER	OCTOBER - DECEMBER	CURRENT YEAR TOTAL				
0227	SHRI MUKESH KUMAR	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0229	SHRI PARMANAND SINGH	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0231	MS. GAYATRI MOHANTO	C			00.00	00.10	00.10	00.00	00.00		
0232	SHRI YOGESH KUMAR	C			00.00	00.15	00.15	00.00	00.00		
0233	SHRI ABHINAV DUBEY	C	00.00	00.00	00.00	00.15	00.15	00.00	00.00		
0236	SHRI TANUJ KUMAR	C			00.00	00.15	00.15	00.00	00.00		
0237	SHRI ISH MUKUL	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0238	SHRI SHAMMI VERMA	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0239	KUM. INDU BALA	C	00.00	00.00	00.00	00.10	00.10	00.00	00.00		
0240	SHRI JOYDEEP KARMKAR	C	00.00	00.00	00.00	00.00	00.00	00.00	00.00		
0241	SHRI UDAI BHAN SINGH	C			00.00	00.00	00.00	00.00	00.00		
0242	SMT. COMPESH	C			00.00		00.00	00.00	00.00		
0243	SHRI NARENDER KUMAR	C			00.00	00.00	00.00	00.00	00.00		
0244	SHRI SUNIL KUMAR	C			00.00	00.10	00.10	00.00	00.00		
0245	SHRI RADHA KRISHAN GURJAR	C			00.00	00.00	00.00	00.00	00.00		
0246	SHRI DEEPAK KUMAR MUNDA	C			00.00	00.10	00.10	00.00	00.00		

**NOTES:** 1. No dose reported for new person unless PDF received.

- When more than one cards are used dose is added.
- Dose below measurable level for X = 0.05 mSv, B = 0.50 mSv & G = 0.10 mSv is shown zero.
- Annual effective dose in any calendar year shall not exceed 30 msv .

- Cumulative effective dose constraint for the sliding 5 year block (current year + previous four year) is 100 mSv.
- ' - ' in any service period means dosimeter not used.
- ' \* ' mean Total > 20 mSv. Inform details of radiation work.
- ' \* \* ' mean TLD card spoilt or contaminated.
- ' \* \* \* ' means letter regarding over exposure sent by C&DRS, RP&AD, BARC.

**IMPORTANT INSTRUCTIONS**

- CONTROL CARD SHOULD BE KEPT AWAY FROM RADIATION AREA UNDER LOCK & KEY
- CARD SHOULD BE PROPERLY LOADED IN THE CASSETTE AS PER INSTRUCTIONS IN USER INSTRUCTION MANUAL, PAGE NO ( 1 ), POINT NO ( 1 ) ( e ).
- WHENEVER LEAD APRRON IS USED, CARD SHOULD BE WORN UNDER THE LEAD APRRON.
- PLEASE RETURN TLD CARDS BACK FOR DOSE EVALUATION IMMEDIATELY AFTER THE EXPIRY OF SERVICE PERIOD.

**DOSE REPORT PREPARED BY :**

**CHECKED & SIGNED BY :**